

Louisiana Office of Public Health Laboratories	
Test Name	<b>Confirmation of a Pure Isolate of <i>Neisseria gonorrhoeae</i></b>
PHL Location	Office of Public Health Laboratory Baton Rouge
CPT Code	87077
Synonyms	Gonorrhea
Brief Description of Test	Confirmatory test for <i>Neisseria gonorrhoeae</i> .
Possible Results	<i>Neisseria gonorrhoeae</i>
Reference Range	N/A
Specimen Type	Pure viable isolate of <i>Neisseria gonorrhoeae</i> from children and sexual assault cases from any anatomical site.
Specimen Container(s):	Agar slant in screw cap tube that will support growth of the organism. Specimens must be labeled with two patient identifiers which match the identifiers on the lab submission form. Chocolate agar slant preferred.
Minimum volume accepted:	N/A
Collection Instructions	N/A
Storage and Transport Instructions	Specimens can be maintained at ambient temperatures or refrigerated temperatures (2°C to 37°C) to protect viability. Do not freeze or ship frozen. The specimen should be received in the State Lab as soon as possible after the original collection date to allow for prompt epidemiological investigation.
Causes for Rejection	<ul style="list-style-type: none"> <li>• Leaking or broken container.</li> <li>• The Lab form 93 is missing required information.</li> <li>• No Lab Form 93 received with specimen.</li> <li>• Mislabeled and Unlabeled specimen</li> </ul>
Limitations of the Procedure	Culture submitted must be pure and viable.
Interfering Substances	N/A

References	Manual of Clinical Microbiology 10 <sup>th</sup> Edition
Additional Information	<p>Use Lab Form 93 and supply the following information:</p> <ul style="list-style-type: none"> <li>• Patient's first and last name</li> <li>• Second Unique Identifier</li> <li>• Gender</li> <li>• Date of birth</li> <li>• Date specimen was collected</li> <li>• Source of specimen</li> <li>• Test requested</li> <li>• Submitter's name, address, telephone number, fax number and contact person</li> </ul>
Release Date	11/2015
<p>Warning: If you have printed a copy of this information please be advised that the Louisiana Office of Public Health Laboratories website and methods are updated on a regular basis. Please check the on-line version of this document to ensure you are relying on the most recent release.</p>	